# LEUCHTEN ZUR AUFHELLUNG DER RETTUNGSWEGE

## ▼ LED-FLUTLICHTSTRAHLER DESIGN LIRP / LED OUTDOOR BEAM DESIGN LIRP











SCHRACK-INFO

LED Flutlichtstrahler für den Außenbereich zur Flächen- und Fluchtwegsbeleuchtung zum typischen Einsatz in Bereitschaftsschaltung. Der volle Lichtstrom steht sofort zur Verfügung. Durch die leistungsfähigen LED mit 100lm/W wird eine hohe Lichtausbeute bei geringem Energieverbrauch erzielt. Extrem schaltfest (>1 Mio). Wartungsfrei durch LED. Breiter Temperatureinsatzbereich. Stoss- und vibrationsunempfindlich.

#### ■ TECHNISCHE DATEN

Material Gehäuse/Reflektor:	Aluminium
Farbe:	silbergrau
LED Leistung:	10W, 30W
Lichtstrom:	100 lm/W
CRI-Index:	Ra>80
Lichtstromverlust:	<10%
Nennspannung:	230V AC 50Hz ±20%; 230V DC ±20%
LED Schaltfestigkeit:	>1Mio
Farbtemperatur:	kaltweiß
Zul. Umgebungstemp.:	-40°C bis +55°C
Abdeckung:	5mm Sicherheitsglas
Schutzart:	Leuchte: IP65, Netzstecker: IP44
Schutzklasse:	I
Gewicht:	10W: 0,5kg 30W: 2,3kg

#### SCHRACK-INFO

LED Outdoor beam for illumination of areas and escape routes – typically used for non maintained electrical circuits. The full luminous flux is immediately available. With the highly efficient LED with 100lm/W a high light output can be achieved with low energy consumption. Withstands frequent on/off switching (>1 mio). Maintenance free because of LED. High temperature range. Shock and vibration resistant.

#### ■ TECHNICAL SPECIFICATIONS

Case material:	aluminum
Color:	silver-gray
LED Power:	10W, 30W
Luminous flux:	100 lm/W
CRI-Index:	Ra>80
Luminous flux loss:	<10%
Nominal voltage:	230V AC 50Hz ±20%; 230V DC ±20%
LED max. no. of switching:	>1 mio
Color temperature:	cold white
Permissible temp.:	-40°C up to +55°C
Cover:	5mm security glass
Protection category:	luminaire: IP65, socket: IP44
Insulation class:	I
weight:	10W: 0,5kg 30W: 2,3kg

Seite page 133

### ABMESSUNGEN (mm) / DIMENSIONS (mm)


10W







30W



BESCHREIBUNG	VERFÜGBAR	STORE	BESTELL-NR.
DESCRIPTION	AVAILABLE	STORE	ORDER NO.
LED Fluter 10W IP65 kaltweiß	688		LI231101
LED Fluter 30W IP65 kaltweiß	000 0-0		LI231111

### **ZUBEHÖR**

Erdspieß für LED Fluter 10W+30W Kunststoff schwarz, H=10cm LI900011



